

SECTION 1 – IDENTIFICATION OF THE PRODUCT AND THE COMPANY

PRODUCT NAME	Norstab® 74-S	TELEPHONE	870-572-9061
MANUFACTURER	Norac Additives, LLC	CHEMTREC (24 HR) (USA)	800-424-9300
ADDRESS	360 Phillips 311 Road Helena, AR 72342	CHEMTREC (MARITIME / INTERNATIONAL)	703-527-3887
RECOMMENDED USES	Stabilizer for plastics		

SECTION 2 – HAZARD IDENTIFICATION

HAZARD CLASSIFICATION	None known
OHA SPECIFIED HAZARDS	WARNING May form combustible dust concentrations in the air.
GHS WARNING LABEL ITEMS	Signal words: none
HAZARD STATEMENTS	Not classified as a hazardous material.
PRECAUTIONARY STATEMENTS	
PREVENTION	P264: Wash hands thoroughly after handling P270: Do not eat, drink, or smoke when using this product
RESPONSE	P301+P312: If SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P330: Rinse mouth
DISPOSAL	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>COMPONENTS</u>	<u>CAS NO.</u>	<u>%</u>
Trade secrete stabilizer components	Trade secret	100

SECTION 4 – FIRST AID MEASURES

SKIN	Remove any contaminated clothing. Wash thoroughly with soap and water. If irritation or adverse symptoms develop, seek medical attention.
EYES	Remove any contact lenses at once. Flush eyes with running water. Ensure adequate flushing by separating the eyelids with fingers. If irritation or adverse symptoms develop, seek medical attention.
INGESTION	Rinse mouth and drink plenty of water. If symptoms persist, consult a doctor.
INHALATION	Remove to fresh air. If coughing, breathing becomes labored, irritation develops, or other symptoms develop, seek medical attention at once, even if symptoms develop several hours after the exposure.
MOST IMPORTANT SYMPTOMS AND EFFECTS, ACUTE AND DELAYED	At elevated temperatures, vapor may cause irritation of eyes and respiratory tract.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	None known. Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

FIRE EXTINGUISHER MEDIA	Water spray, foam, carbon dioxide, or dry chemical.
SPECIAL FIRE FIGHTING PROCEDURES	Burning will produce carbon dioxide, carbon monoxide, and metal oxides. Firemen should be equipped with SCBA with a full face piece operated in the positive pressure demand mode with appropriate turnout gear and chemical resistant personal protective equipment.
UNUSUAL FIRE AND EXPLOSION HAZARDS	Concentrated dust may present an explosion hazard.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN EVENT OF SPILL OR RELEASE	<p>Remove all sources of ignition. Wear appropriate personal protective equipment as specified in Section 8.</p> <p>Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with soapy water. Pick up spill for recovery or disposal and place in a closed container.</p> <p>Do not release into the environment.</p>
---	---

SECTION 7 – HANDLING AND STORAGE

HANDLING	Avoid dust formation and control ignition sources. Employ grounding, venting, and explosion relief provisions in accord with accepted engineering practices in any process of capable of generating dust and/or static electricity. Empty only into inert or non-flammable atmosphere. Emptying contents into a non-inert atmosphere where flammable vapors may be present could cause a flash fire or explosion due to electrostatic discharge. Do not use near food or drink. Avoid eye contact. Use with adequate ventilation. Wear personal protection equipment recommended in Section 8. Reseal containers immediately after use.
STORAGE	Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Do not store with food or drink.
OTHER PRECAUTIONS	Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS	<p>OSHA Permissible Exposure Limit (PEL): 10 mg/m³ total dust. OSHA respirable fraction TWA 5 mg/m³ ACGIH Threshold Limit Value (TLV): 10 mg/m³ for total dust for stearates.</p>
RESPIRATORY PROTECTION	Work ambient concentrations should be monitored and if airborne concentrations are expected to exceed acceptable levels, wear a NIOSH/MSHA approved dust air-purifying respirator. When using respirators, refer to OSHA's 29 CFR 1910.134.
VENTILATION	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below level of overexposure.
EYE PROTECTION	Safety goggles recommended. Permanent eyewash is highly recommended.
HAND PROTECTION	Protective gloves recommended.
OTHER	Emergency showers and eye wash stations should be available.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR	Fine white powder with slight fatty odor		
ODOR THRESHOLD	Not available	VAPOR PRESSURE	Does not apply
pH	Not available	VAPOR DENSITY	Does not apply
MELTING POINT / FREEZING POINT	Softens < 130°C (266°F) by DSC	SPECIFIC GRAVITY	1.5
INITIAL BOILING POINT	Not available	SOLUBILITY	Insoluble in water
FLASH POINT	> 177°C (350°F), C.O.C	PARTITION COEFFICIENT N-OCTANOL/WATER	Not available
EVAPORATION RATE	< 1 (ethyl ether=1)	AUTO IGNITION TEMPERATURE	> 371°C (700°F)
FLAMMABILITY	Does not apply	DECOMPOSITION TEMPERATURE	Not available
DUST DEFLAGRATION INDEX	Not available	VISCOSITY	Does not apply
MINIMUM EXPLOSIVE CONCENTRATION	Not available		
MAXIMUM EXPLOSIVE CONCENTRATION	Not available		

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY	None known.
CHEMICAL STABILITY	Stable under ordinary conditions of use and storage.
INCOMPATIBLE MATERIALS	Strong oxidants, strong bases, acids, peroxides.
CONDITIONS TO AVOID	Material as supplied is not explosive. Avoid suspending dust in the air. Ground all equipment to avoid static discharge. Suspended dust may be explosive.
HAZARDOUS DECOMPOSITION PRODUCTS	None when stored and handled as instructed. Carbon dioxide, carbon monoxide, and metal oxides if burned.

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Oral: Rat-LD ₅₀ : >5,000 mg/kg
SKIN CORROSION/IRRITATION	Not classified as corrosive or an irritant
SERIOUS EYE DAMAGE/IRRITATION	Not classified as corrosive or an irritant
RESPIRATORY OR SKIN SENSITIZATION	Not classified as respiratory or skin irritant
GERM CELL MUTAGENICITY	Not classified as a germ cell mutagen
This material is not listed in the National Toxicology Program Report on Carcinogens	
This material has not been found to be a carcinogen by the International Agency for Research on Cancer (IARC)	
This material has not been found by OSHA to be a carcinogen or potential carcinogen	
REPRODUCTIVE TOXICITY	Not classified as a reproductive toxin
STOT-SINGLE EXPOSURE	Not classified as a target organ toxin
STOT-REPEATED EXPOSURE	Not classified as a target organ toxin
ASPIRATION HAZARD	Not classified as an aspiration hazard

SECTION 12 – ECOLOGICAL INFORMATION

AQUATIC TOXICITY	Minor ingredients (major ingredients not hazardous)
LC₅₀/48h (STATIC)	>100 mg/l (<i>Daphnia magna</i>) (OECD 202)
LC₅₀/96h	>10,000 (<i>Brachydanio rerio</i>) (92/69/EEC C.1) semi-static
NOEC (STATIC)	1,560 mg/l (<i>Photobacterium phosphoreum</i>) (DIN38412) 30 min.
PERSISTENCE AND DEGRADABILITY	No information available
BIOACCUMULATIVE POTENTIAL	No data available
POTENTIAL MOVEMENT FROM SOIL TO GROUNDWATER	No data available
OTHER ADVERSE EFFECTS	No information available

SECTION 13 – DISPOSAL CONSIDERATIONS

Prevent material from entering drains, sewers, streams, etc.
Immediately dispose of waste material in accordance with federal, state, and local regulations.

SECTION 14 – TRANSPORT INFORMATION

DOT (US) Not regulated	IATA Not regulated	IMDG Not regulated
----------------------------------	------------------------------	------------------------------

NMFC CLASSIFICATION
METALLIC SOAPS OF FATTY ACID
ITEM # 45230, CLASS 65

SECTION 15 – REGULATORY INFORMATION

The following chemicals are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

<u>CHEMICAL NAME</u>	<u>CAS NUMBER</u>	<u>PERCENT</u>
Metallic soaps of fatty acid, mix contains zinc compounds	Proprietary	<20

OSHA None

The ingredients in this product are listed in:

- Australian Inventory of Chemical Substances (AICS)
- Canadian Domestic Substances List (DSL)
- Chinese Inventory of Existing Chemical Substances Manufactured or Imported in China (IESCS)
- European Inventory of Existing Commercial Chemical Substances (EINECS)
- Japanese Existing and New Chemical Substances (ENCS)
- Korean Existing Chemicals List (ECL)
- Philippines Inventory of Chemicals and Chemical Substances (PICCS)
- US Toxic Substances Control Act (TSCA)

STATUS OF CARCINOGENICITY Not recognized as a carcinogen by the IARC, NTP, or OSHA.

SECTION 16 – OTHER INFORMATION

<u>NFPA 704 RATING</u>			<u>HMIS RATING</u>		
<u>Health</u>	<u>Flammability</u>	<u>Reactivity</u>	<u>Health</u>	<u>Flammability</u>	<u>Reactivity</u>
1	1	0	1	1	0

Norstab 74-S 1803.0 Date of revision: 13 March 2018 to update company name
Prepared by Norac Additives, LLC Previous revision 1504.1

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product. This MSDS was prepared and is to be used only for this product. If this product is used as a component in another product, this MSDS information may not be applicable.