

COAD[®] Zinc Stearate Disperso II

DESCRIPTION

COAD[®] Zinc Stearate Disperso II is specifically formulated to disperse readily in aqueous systems with gentle stirring. The fine particle size aids in handling and ensures even distribution of the stearate. Recommended in applications where uniform coatings of zinc stearate is critical.

TYPICAL PROPERTIES

Total Ash, %	15.3
Moisture, %	0.2
Free Fatty Acid, %	0.2
Soluble Salts, %	Nil
Softening Point, C	120
Apparent Density, lbs/ft ³	25
Mean Particle Size, Microns	11
Top Size %98, Microns	35
% Thru 400 Mesh	100
Appearance	Free flowing fine white powder

APPLICATIONS

- **Rubber Processing:** COAD[®] Zinc Stearate Disperso II is used on uncured rubber stocks to prevent adhesion. Uniform coatings are deposited on slabs or extruded forms from aqueous dispersions in dip tanks or baths.

ADDITIONAL INFORMATION

- Other – See SDS for COAD® Zinc Stearate Disperso II for additional health, safety, and environmental information.
- Packaging – COAD® and MATHE Zinc Stearates are packaged in various sized multiwall bags and supersacks, unitized on non-returnable wooden pallets. Please contact your Norac sales representative to discuss your special packaging requirements.